



Channeled Choice™

Best Quality. Better Price.

Interested in the stock below or have other needs? Call Marie or Rosellen at 1-800-633-6272 or visit our Material Requestor to indicate what you need. Fill it out and we will get back to you within 24 hours

VALID THROUGH 5:00 P.M. CST – 4-28-21

CHOICE#	MFG#	DESCRIPTION	WIDTH	FEET	ROLL QTY	PRICE/MSI
170250-B	54320	TC DIRECT THERMAL-ALL TEMP-40	7	4000	2	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	4.75	9500-10000	2	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	6	9720	2	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	6.25	10200	1	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	8.75	10150	1	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	14.75	10279	3	\$0.26
170250-D	54319	TC DIRECT THERMAL-ALL TEMP-40	16.25	10150	2	\$0.26
170250-F	18610	TC DIRECT THERMAL-ALL TEMP-40	17.25	4206	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	4.5	9950	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	5.75	4850	2	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	7.625	5205	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	7.625	9600-9800	3	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	7.75	5375	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	11.25	4800	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	11.375	4880	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	11.375	14690	2	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	12.5	4935	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	15	1098	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	15.75	5270	1	\$0.26
170250-H	54317	TC DIRECT THERMAL-ALL TEMP-40	16	7000	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	6	15015	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	6.5	13990	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	6.875	11852	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	8.25	6889	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	8.5	15300	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	8.875	15110	4	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	10	14100-15260	4	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	10.25	15254	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	10.625	15159	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	11	14100-15700	31	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	12.4375	13777	2	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	12.4375	15215	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	14.5	14880	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	21.125	5950	1	\$0.26
170250-I	54318	TC DIRECT THERMAL-ALL TEMP-40	21.125	6300	1	\$0.26
27560-H	54222	TC DIRECT THERMAL-PERM ACR-40	6	4800-5200	10	\$0.25
27560-H	54222	TC DIRECT THERMAL-PERM ACR-40	6.625	8580	1	\$0.25
27560-H	54222	TC DIRECT THERMAL-PERM ACR-40	14.25	5300	1	\$0.25
27560-H	54222	TC DIRECT THERMAL-PERM ACR-40	16.25	9600-10200	4	\$0.25
27560-K	19025	TC DIRECT THERMAL-PERM ACR-40	12.375	8700	1	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	6	10325	1	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	6.25	10050	4	\$0.25

CHOICE SPECIAL THROUGH 4-28

27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	6.75	10000	2	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	7	15000	1	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	8.75	14620	1	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	11	15010	1	\$0.25
27560-L	54247	TC DIRECT THERMAL-PERM ACR-40	16.75	5000	1	\$0.25
27560-M	54221	TC DIRECT THERMAL-PERM ACR-40	15.5	8965	1	\$0.25
27560-Q	54037	TC DIRECT THERMAL-PERM ACR-40	11.25	15175	2	\$0.25
27560-Q	54037	TC DIRECT THERMAL-PERM ACR-40	18.75	15310	1	\$0.25
27560-S	54219	TC DIRECT THERMAL-PERM ACR-40	6.75	5500	1	\$0.25
27560-W	3714	TC DIRECT THERMAL-PERM RUB-40	7.5	7476	1	\$0.25
27560-Y	53599	TC DIRECT THERMAL-PERM ACR-40	13	9627	6	\$0.26
27580-A	18685	TC DIRECT THERMAL-REMOVABLE-40	7.625	5075	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	5	7500	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	5.75	9730	2	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	8	9640	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	8.125	7500	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	8.125	9580	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	8.875	13500	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	9.625	12770	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	10	14980	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	15	7400-7600	2	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	15	15210	2	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	15.5	7600	1	\$0.28
27580-B	18558	TC DIRECT THERMAL-REMOVABLE-40	15.5	15260	2	\$0.28
40590-A	15862	TC DIRECT THERMAL-PERM FRZ-40	8.75	5370	5	\$0.25
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	6.625	6970	1	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	7.125	15240	2	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	7.875	7600	1	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	11	13517	1	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	11	14500-15400	14	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	12.75	4662	1	\$0.23
211390-C	54315	NTC DIRECT THERM NS-ALLTEMP-40	16.875	8800	1	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	7.625	10500	2	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	8	9500-9900	3	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	8.875	4700	1	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	11	15226	2	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	12	9320	1	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	16.375	10041	1	\$0.23
211390-D	54316	NTC DIRECT THERM-ALL TEMP-40	16.875	9375	1	\$0.23
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	5.25	2500	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.25	7536	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.25	14900	2	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.5625	8145	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.6875	6700-7600	5	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.75	7100-7700	8	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	6.75	14200-15900	9	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	7	15100	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	7.375	7500	3	\$0.22

CHOICE SPECIAL THROUGH 4-28

27910-A	54061	NTC DIRECT THERM-PERM ACR-40	7.75	6700-7600	6	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	7.75	14620	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	7.875	6800-8100	6	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	8	14500-14900	3	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	8.125	7500	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	8.5	14150-15100	2	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	9.5	5544	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	10	15250	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	10.25	6375	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	10.25	7500	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	11.5	9400	3	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	11.5	9400	2	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	12.75	4200	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	12.75	6500	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	13.5	2354	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	13.875	1250	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	15.125	15270	2	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	15.9375	3450	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	15.9375	8200-8900	6	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	15.9375	15200	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	16	6500	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	16.75	15240	2	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	16.875	13275	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	17	12935	1	\$0.22
27910-A	54061	NTC DIRECT THERM-PERM ACR-40	20	6371	1	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	6.75	6750	1	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	8	6600-6700	8	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	8.25	9000	1	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	11.5	10100	1	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	12.625	3450	1	\$0.22
27910-B	54062	NTC DIRECT THERM-PERM ACR-40	16.875	15800	1	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	9.875	15140	2	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	10	4000	1	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	10	5360	1	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	10	14000	2	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	10.25	14130	1	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	10.5	13500-16500	24	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	11.25	13185	3	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	15.125	8500	1	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	15.125	9200-9500	7	\$0.22
27910-C	54462	NTC DIRECT THERM-PERM ACR-40	78	3021	1	\$0.22
168220-A	19917	70# BRT WH FELT WS-PERM ACR-44	6.625	5071	1	\$0.45
168220-A	19917	70# BRT WH FELT WS-PERM ACR-44	9.625	5255	1	\$0.45
168220-B	53127	70# BRT WH FELT ITC-PERM-44PK	10	5009	4	\$0.45
170350-A	53112	70# BRT WH FELT WS-PERM AC-1.2	5.5	4800-5400	5	\$0.45
170350-A	53112	70# BRT WH FELT WS-PERM AC-1.2	10	9700-10400	7	\$0.45
170350-B	53600	70# BRT WH FELT ITC-PERM-1.2	12	4970	1	\$0.45
170350-B	53600	70# BRT WH FELT ITC-PERM-1.2	12	5250	1	\$0.45
170510-A	19993	60# UNC LITHO WS-ALL TEMP-1.2	6.5	10000	2	\$0.45
170510-A	19993	60# UNC LITHO WS-ALL TEMP-1.2	12	10350	1	\$0.45
170510-A	19993	60# UNC LITHO WS-ALL TEMP-1.2	14	9700	1	\$0.45
199710-A	53338	60# ESTATE #8 ITC-ALL TEMP-1.2	12	5000	1	\$0.45

CHOICE SPECIAL THROUGH 4-28

199870-C	54360	MATTE LITHO WS-ALL TEMP-40	7.75	10890	2	\$0.45
210690-A	19298	MATTE LITHO WS-ALL TEMP-44PK	5	4900-5200	6	\$0.45
25230-A	19203	70# EGG SHELL WS-PERM ACR-44PK	10	5000	2	\$0.45
25230-A	19203	70# EGG SHELL WS-PERM ACR-44PK	12	5000	5	\$0.45
25270-A	19742	70# EGG SHELL WS-PERM ACR-1.2	8	5125	1	\$0.45
25270-A	19742	70# EGG SHELL WS-PERM ACR-1.2	10.5	4300	1	\$0.45
25270-A	19742	70# EGG SHELL WS-PERM ACR-1.2	10.5	9900-10600	8	\$0.45
25270-A	19742	70# EGG SHELL WS-PERM ACR-1.2	11	5000	2	\$0.45
25590-A	12623	60# CLASSIC CREST WS-PERM-44PK	8	5110	1	\$0.45
25750-B	53271	60# CLAS CREST SOLAR ITC-PER-1.2	13	4951	2	\$0.45
26070-A	16784	60# ESTATE #8-PERM RUB-44PK	12	5100-5400	4	\$0.45
26070-B	15952	60# ESTATE #8 WS-ALLTEMP-44PK	12	4950	2	\$0.45
26070-C	19915	60# ESTATE #8 ITC-PERM ACR-44P	10	5200-5400	6	\$0.45
26110-A	53332	60# ESTATE #8 WS-PERM ACR-1.2	10	5000-5300	20	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	6	7000-7600	7	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	7.125	7300-7600	2	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	7.5	7770	1	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	8.5	7500	2	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	9	7600-7700	3	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	10	4785	3	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	11	7100-7500	2	\$0.45
26110-B	19656	60# ESTATE #8 WS-PERM ACR-1.2	13.5	7690	1	\$0.45
26230-A	53843	60# ESTATE #9 ITC-PERM ACR-1.2	12	4800-5300	2	\$0.45
32230-A	18303	LASER JET-REMOVABLE-46LF	11.125	9570	1	\$0.18
32230-A	18303 6" CORE	LASER JET-REMOVABLE-46LF	19.5	8800	1	\$0.18
32570-A	18117 6" CORE	LASER JET-PERM ACR-44LF	5	4150	1	\$0.16
32570-A	18117	LASER JET-PERM ACR-44LF	5.1875	8300	1	\$0.16
32570-A	18117	LASER JET-PERM ACR-44LF	8	9325	2	\$0.16
32570-A	18117	LASER JET-PERM ACR-44LF	8	10125	2	\$0.16
32570-B	18884	LASER JET-PERM ACR-46LF	7.75	10000	1	\$0.16
32570-B	18884 6" CORE	LASER JET-PERM ACR-46LF	8	9201	1	\$0.16
32570-B	18884	LASER JET-PERM ACR-46LF	8.25	9770	1	\$0.16
32570-B	18884	LASER JET-PERM ACR-46LF	8.5	4800	1	\$0.18
32570-B	18884 6" CORE	LASER JET-PERM ACR-46LF	14.5	7850	1	\$0.18
32570-B	18884 6" CORE	LASER JET-PERM ACR-46LF	23	10000-10200	10	\$0.18
32570-C	53698 6" CORE	LASER JET-PERM ACR-46LF	8	14900	1	\$0.16
32570-C	53698 6" CORE	LASER JET-PERM ACR-46LF	11.5	14782	2	\$0.18
32570-C	53698 6" CORE	LASER JET-PERM ACR-46LF	12.125	8800	2	\$0.18
32570-C	53698 6" CORE	LASER JET-PERM ACR-46LF	17	8800	1	\$0.18
32570-D	18447 6" CORE	LASER JET-PERM ACR-45LF	13	10000	1	\$0.18
32920-A	17263	LASER PREMIUM-PERM ACR-46LF	11.5	9750	1	\$0.18

CHOICE SPECIAL THROUGH 4-28

32920-B	53943 6"CORE	LASER PREMIUM-PERM ACR-46LF	11.875	9200-10200	6	\$0.18
33360-A	18345	LASER-REMOVABLE-50	9.5	10000	1	\$0.18
33360-A	18345	LASER-REMOVABLE-50	11.5	10630	2	\$0.18